

KELLY-MOORE PAINT CO INC -- 1250-SERIES ACRY-LUSTRE ACRYLIC SEMI-GLOSS ALL
COLORS -- 8010-00F037344

===== Product Identification =====

Product ID:1250-SERIES ACRY-LUSTRE ACRYLIC SEMI-GLOSS ALL COLORS

MSDS Date:06/30/1993

FSC:8010

NIIN:00F037344

== Responsible Party ==

Company Name:KELLY-MOORE PAINT CO INC

Address:1015 COMMERCIAL ST

City:SAN CARLOS

State:CA

ZIP:94070-5000

Country:US

Info Phone Num:415-592-8337

Emergency Phone Num:415-592-8337

Preparer's Name:JULIAN E SCHAFER

CAGE:0Y837

== Contractor Identification ==

Company Name:KELLY-MOORE PAINT CO INC

Address:987 COMMERCIAL ST

Box:City:SAN CARLOS

State:CA

ZIP:94070

Country:US

Phone:650-592-8337

CAGE:0Y837

===== Composition/Information on Ingredients =====

Ingred Name:PROPANOIC ACID, 2-METHYL, MONOESTER

W/2,2,4-TRIMETHYL-1,3-PENTANEDIOL, TEXANOL (ESTER ALCOHOL)

CAS:25265-77-4

RTCS #:UF6000000

Fraction by Wt: 1%

Ingred Name:HEXYLENE GLYCOL, 2-METHYL-2,4-PENTANEDIOL

CAS:107-41-5

RTCS #:SA0810000

Fraction by Wt: 1%

Other REC Limits:25 PPM

OSHA PEL:25 PPM

ACGIH TLV:25 MG/CUM

Ingred Name:5-CHLORO-2-METHYL-4-ISOTHIOAZOLIN-3-ONE

CAS:26172-55-4

RTCS #:NX8156850

Ingred Name:3-IODO-2-PROPYNYL BUTYL CARBAMATE

CAS:55406-53-6

RTCS #:EZ0950000

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: IRRITATION TO UPPER

RESPIRATORY TRACT. SKIN/EYES: IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:DIZZINESS, HEADACHE, NAUSEA, CONFUSION,
UNCONSCIOUSNESS, IRRITATION.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. EYES:
FLUSH W/LARGE VOLUMES OF WATER FOR 15 MINS. SKIN: WIPE OFF W/A RAG.
WASH THOROUGHLY W/SOAP & WATER. OBTAIN MEDICAL ATTENTION IN ALL
CASES.

===== Fire Fighting Measures =====

Flash Point:>200F

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE DUE TO THE
BUILD-UP OF STEAM PRESSURE WHEN EXPOSED TO EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA TO PREVENT BUILD-UP OF VAPORS.
SMALL: SOAK UP W/ABSORBENT. LARGE: DIKE AREA W/ABSORBENT MATERIAL &
SCOOP UP LIQUIDS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE UPRIGHT IN SEALED CONTAINERS
AWAY FROM HEAT & FLAME.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A PARTICLE MASK, NIOSH/MSHA TC-21C TO AVOID
BREATHING SPRAY MIST/SANDING DUST IF LOCAL VENTILATION IS
INADEQUATE TO KEEP VAPOR CONCENTRATIONS W/IN ACCEPTABLE TLV LIMITS.
(SEE SUPP)

Ventilation:LOCAL CROSS-VENTILATION/MECHANICAL EXHAUST SUFFICIENT TO
MAINTAIN ALL HAZARDOUS VAPOR CONCENTRATIONS < PRESCRIBED LIMITS

Protective Gloves:RECOMMENDED

Eye Protection:GLASSES W/SIDE SHIELDS/GOGGLES

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE
REUSE.

Supplemental Safety and Health

RESP PROTECT CONT'D: IF LOCAL VENTILATION ISN'T SUFFICIENT/IF EXPOSURE
LIMITS ARE EXCEEDED WEAR A SUITABLE, PROPERLY FITTED RESPIRATOR,
NIOSH/MSHA TC-23C/FOR ORGANIC VAPORS W/A DUST FITTER AS NEEDED.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F

Vapor Density:<1

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:64-70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:EXTREME HEAT, FLAME

===== Disposal Considerations =====

Waste Disposal Methods:DISCARD IN LAND FILL IN SEALED METAL CONTAINERS
AWAY FROM HEAT & FLAME IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.